



FUTURE VALVE TECHNOLOGY

Whatever valves you need - Gate, Globe, Check, Ball, Butterfly or Balancing, Hattersley delivers on quality, reliability and service - every time.



Hook-Up II H266

tel: 01744 458670 www.hattersley.com

DZR Ball Valves EN10266 BSP/Compression Ends, WRAS Approved
Optional NPT, Tee Handle & Yellow Handle Gas Approved





LEVER			EXT LEVER			LOCKSHIELD	
SIZE	FIG.100	FIG.100EXT	FIG. 100LS	SIZE	FIG.100C	FIG.100CEXT	FIG.100CLS
1/4	HA110008	HA1100EX08	*		*	*	*
3/8	HA110010	HA1100EX10	*		*	*	*
1/2	HA110015	HA1100EX15	HA1100LS015	15mm	HA1100C15	HA1100CEX15	HA1100CLS15
3/4	HA110020	HA1100EX20	HA1100LS020	22mm	HA1100C22	HA1100CEX22	HA1100CLS22
1	HA110025	HA1100EX25	HA1100LS025	28mm	HA1100C28	HA1100CEX28	HATT100CLS28
1 1/4	HA110032	HA1100EX32	HA1100LS032	35mm	HA1100C35	HA1100CEX35	HA1100CLS35
1 1/2	HA110040	HA1100EX40	HA1100LS040	42mm	HA1100C42	HA1100CEX42	HA1100CLS42
2	HA110050	HA1100EX50	HA1100LS050	54mm	HA1100C54	HA1100CEX54	HA1100CLS54

DZR Gate Valves EN12288 BSP/Compression Ends, WRAS Approved
Optional NPT, Flanged & Bronze Material

BSP DZR GATE VALVE			COMP DZR GATE VALVE		
SIZE	FIG. 30LS	FIG. 30WH	SIZE	FIG. 30LS	FIG.30C
1/2	HA130LS15	HA130W15	15mm	HA130CLS15	HA130C15
3/4	HA130LS20	HA130WH22	22mm	HA130CLS22	HA130C22
1	HA130LS25	HA130WH25	28mm	HA130CLS28	HA130C28
1 1/4	HA130LS32	HA130WH32	35mm	HA130CLS35	HA130C35
1 1/2	HA130LS40	HA130WH40	42mm	HA130CLS42	HA130C42
2	HA130LS50	HA130WH50	54mm	HA130CLS54	HA130C54

Bronze Valves BSP Ends
Optional NPT, Flanged, Material & Pressure Ratings

SIZE	SWING CHECK FIG.47	STRAINER FIG.807	GLOBE FIG.13	DRAIN COCK L/S FIG.371LS	DRAIN COCK FIG.370	LEVER DOC FIG.81HU
1/2	HA147015	HA1807015	HA113015	HA1371015	HA1370015	HA181015
3/4	HA147020	HA1807020	HA113020	HA1371020	HA1370020	HA181020
1	HA147025	HA1807025	HA113025	HA1371025	HA1370025	HA181025
1 1/4	HA147032	HA1807032	HA113032	*	*	HA181032
1 1/2	HA147040	HA1807040	HA113040	*	*	HA181040
2	HA147050	HA1807050	HA113050	*	*	*



Bronze Commissioning Valves BSP/Compression Ends, To BS7350, WRAS Approved

DRV		M/STATION	FIXED ORIFICE DRV	COMMISSIONING VALVES		
SIZE	FIG.1432	FIG.1000	FIG.1732	FIG No	15mm-1/2	22mm-3/4
1/2	HA114320015	HA100015	HA1173215	FIG.1432C	HA11432C15	HA11432C22
3/4	HA114320020	HA100020	HA1173220	FIG.1732C	HA11732C15	HA11732C22
1	HA114320025	HA100025	HA1173225	FIG. 1432L	HA11432L15	HA11432L20
1 1/4	HA114320032	HA100032	HA1173232	FIG.1732L	HA11732L15	HA11732L20
1 1/2	HA114320040	HA100040	HA1173240	FIG.1732M	HA11732M15	HA11732M20
2	HA114320050	HA100050	HA1173250	FIG.1000L	HA11000L15	HA11000L20

Cast Iron Commissioning Valves Flanged PN16, To BS7350

SIZE	COMM STATION	DRV	COMM SET	VARIABLE DRV	DRV BFLY	METREX COMM SET
SIZE	FIG.M2000	FIG.M733DR	FIG.M2733	FIG.M737	FIG.973W	FIG.5973W
65mm	HA2200065	HA2733065	HA22733065	HA2737065	HA2973065	HA2593065
80mm	HA2200080	HA2733080	HA22733080	HA2737080	HA2973080	HA2593080
100mm	HA22000100	HA2733100	HA22733100	HA2737100	HA2973100	HA2593100
125mm	HA22000125	HA2733125	HA22733125	HA2737125	HA2973125	HA2593125
150mm	HA22000150	HA2733150	HA22733150	HA2737150	HA2973150	HA2593150
200mm	HA22000200	HA2733200	HA22733200	HA2737200	HA2973200	HA2593200
250mm	HA22000250	HA2733250	HA22733250	HA2737250	HA2973250	HA2593250
300mm	HA22000300	HA2733300	HA22733300	HA2737300	HA2973300	HA2593300

Hattersley Offer A Wide Range Of Autoflow Bronze & Ductile Iron Automatic Balancing Valves.



Hattersley Cast Iron Range Of Valves, Optional Flanged Drillings, Higher Pressure Materials Available.

	GATE VALVE	GLOBE	WAFER B/FLY	F/LUGGED B/FLY
SIZE	M541 PN16	M731 PN16	950W	970W
65mm	HA2541065	HA2M731065	HA2950065	HA2970065
80mm	HA2541080	HA2M731080	HA2950080	HA2970080
100mm	HA2541100	HA2M731100	HA2950100	HA2970100
125mm	HA2541125	HA2M731125	HA2950125	HA2970125
150mm	HA2541150	HA2M731150	HA2950150	HA2970150
200mm	HA2541200	HA2M731200	HA2950200	HA2970200
250mm	HA2541250	HA2M731250	HA2950250	HA2970250
300mm	HA2541300	HA2M731300	HA2950300	HA2970300

	CHECK	WAFER CHECK	STRAINER	GROOVED B/FLY
SIZE	M651 PN16	850 PN16	810 PN16	920 GSB
65mm	HA2M651065	HA2850065	HA2810065	HA2920065
80mm	HA2M651080	HA2850080	HA2810080	HA2920080
100mm	HA2M651100	HA2850100	HA2810100	HA2920100
125mm	HA2M651125	HA2850125	HA2810125	HA2920125
150mm	HA2M651150	HA2850150	HA2810150	HA2920150
200mm	HA2M651200	HA2850200	HA2810200	HA2920200
250mm	HA2M651250	HA2850250	HA2810250	HA2920250
300mm	HA2M651300	HA2850300	HA2810300	HA2920300



Oventrop TRV range is certificated to EN215, and fully complies with BS6284, BS7478, and BS7556. Please contact our sales office for more information or logon to www.oventrop.co.uk

'A' Series TRV Body 2-Pipe

Nickel plated TRV body, EPDM disk & seals. 3/8 - 1/2" BSP, compression adaptors available. Angle, straight & reverse angle body options.



'AZ' TRV Body 1 & 2-Pipe

Nickel plated TRV body, EPDM disk & seals. 1/2" - 1" BSP, compression adaptors available. Angle, straight & reverse angle body options.



Uni LGH Liquid TRV Head

Range 7-28deg, can limit & lock temperature. Heads available: Direct acting, remote sensor, remote control 2-10mtr capillary.



Uni DGH Wax TRV Head

Range 7-28deg Direct acting head, white and chrome. Accessories, anti-theft ring, reinforcing cap.



Uniset Pro LGH TRV Complete

Nickel plated TRV body, Uni LGH liquid head. 10/15mm compression x 1/2" BSP union tail, reversible ends. Bi-directional for pumped 2-pipe systems.



Uniset DGH TRV Complete

Nickel plated TRV body, Uni DGH wax head. 10/15mm compression x 1/2" BSP union tail, reversible ends. Bi-directional for pumped 2-pipe systems.



Combi 4 Radiator Lockshield

Nickel plated body. 3/8 - 3/4" BSP, compression adaptors available. Angle/straight body options. 4 functions - isolate, regulate, fill & drain. 2 pipe systems.



Combi 2 Radiator Lockshield

Nickel plated body. 3/8 - 3/4" BSP, compression adaptors available. Angle/straight body options. 2 function - isolate/regulate. 2 pipe systems.



Combi 3G Radiator Lockshield

Nickel plated body. 10/15mm compression x 1/2" BSP union tail, angle body. 3 functions - isolate, regulate, fill/drain. 2 pipe systems.



Manual Radiator Valve

Nickel plated body. 3/8" - 1" BSP, compression adaptors available. Angle/straight body options. White handwheel, 2 pipe systems, can convert to TRV.



Optibal DZR Ball Valves BSP/Compression Ends.
 Optional Tee Handle & Yellow Handle Gas Approved EN331 Valves Available.

BSP LEVER			EXT LEVER			LOCKSHIELD			COMP LEVER			EXT LEVER		
SIZE	107.90	107.91	107.92	SIZE	107.95	107.97	SIZE	107.90	107.91	107.92	SIZE	107.95	107.97	
1/2	OVBALL15	OVBALLEXT15	OVBALLS15	15mm	OVBALLC15	OVBALLCEXT15								
3/4	OVBALL20	OVBALLEXT20	OVBALLS20	22mm	OVBALLC22	OVBALLCEXT22								
1	OVBALL25	OVBALLEXT25	OVBALLS25	28mm	OVBALLC28	OVBALLCEXT28								
1 1/4	OVBALL32	OVBALLEXT32	OVBALLS32	35mm	OVBALLC35	OVBALLCEXT35								
1 1/2	OVBALL40	OVBALLEXT40	OVBALLS40	42mm	OVBALLC42	OVBALLCEXT42								
2	OVBALL50	OVBALLEXT50	OVBALLS50	54mm	OVBALLC54	OVBALLCEXT54								

Gate Valves EN12288 BSP Ends

BSP BRASS GATE VALVE			BSP DZR GATE VALVE		
SIZE	104.11 L/S	104.10 W/H	104.31 L/S	104.30 W/H	
1/2	OVGATE11	OVGATE01	OVGATE21	OVGATE31	
3/4	OVGATE12	OVGATE02	OVGATE22	OVGATE32	
1	OVGATE13	OVGATE03	OVGATE23	OVGATE33	
1 1/4	OVGATE14	OVGATE04	OVGATE24	OVGATE34	
1 1/2	OVGATE15	OVGATE05	OVGATE25	OVGATE35	
2	OVGATE16	OVGATE06	OVGATE26	OVGATE36	

Bronze Valves BSP Ends, PN16 Rated

SWING CHECK		STRAINER		DOC L/S		DRAIN COCK		LEVER DOC	
SIZE	107.5	112.00	103.35	103.33	103.20	SIZE	107.5	112.00	103.35
1/2	OVNRV005	OVSTRB015	OVD0C01	OVD0C02	OVD0V05				
3/4	OVNRV006	OVSTRB020	*	OVD0C03	OVD0V05				
1	OVNRV007	OVSTRB025	*	OVD0C04	*				
1 1/4	OVNRV008	OVSTRB032	*	*	*				
1 1/2	OVNRV009	OVSTRB040	*	*	*				
2	OVNRV010	OVSTRB050	*	*	*				



Bronze Hydrocontrol Double Regulating & Commissioning Valves
 Bronze Low/Medium Flow Double Regulating Valves.
 BSP/Compression & Press Fit Ends All Available

DRV		M/STATION	FIXED ORIFICE DRV	COMMISSIONING VALVES		
SIZE	FIG.106.01	FIG.106.06	FIG.106.02	FIG No	15mm-1/2	22mm-3/4
1/2	OV10601015	OV10606015	OV10602015	FIG. 106.11	OV10611015	*
3/4	OV10601020	OV10606020	OV10602020	FIG.106.09L	OV10609015L	*
1	OV10601025	OV10606025	OV10602025	FIG.106.09M	OV10609015M	*
1 1/4	OV10601032	OV10606032	OV10602025	FIG.106.06L	OV10606015L	*
1 1/2	OV10601040	OV10606040	OV10602040			
2	OV10601050	OV10606050	OV10602050			

Hydrocontrol Cast Iron Commissioning Valves Flanged PN16

COMM STATION		VARIABLE DRV	COMM SET	DRV BFLY
SIZE	FIG.106.07	FIG.106.26	FIG.106.28	FIG.104.85
65mm	OVCOM065	OVDREV065	OVCOMSET065	OVDREVBFLY065
80mm	OVCOM080	OVDREV080	OVCOMSET080	OVDREVBFLY080
100mm	OVCOM100	OVDREV100	OVCOMSET100	OVDREVBFLY100
125mm	OVCOM125	OVDREV125	OVCOMSET125	OVDREVBFLY125
150mm	OVCOM150	OVDREV150	OVCOMSET150	OVDREVBFLY150
200mm	OVCOM200	OVDREV200	OVCOMSET200	*
250mm	OVCOM250	OVDREV250	OVCOMSET250	*
300mm	OVCOM300	OVDREV300	OVCOMSET300	*

Oventrop Offer A Wide Range Of Automatic Flow Regulating Valves In Bronze & Cast Iron.
 Please Refer To Their Full Product Catalogue.



Oventrop Cast Iron Range Of Valves, Optional Flanged Drillings, Alternative Valve Discs & Seals Available.

	EPDM ST/ST DISC			NITRILE ST/ST DISC
	GATE VALVE	WAFER B/FLY	F/LUGGED B/FLY	F/LUGGED B/FLY
SIZE	104.52 PN16	104.62	104.82	104.83
65mm	OVGATE065	OV10460065	OV10480065	OV10481065
80mm	OVGATE080	OV10460080	OV10480080	OV10481080
100mm	OVGATE100	OV10460100	OV10480100	OV10481100
125mm	OVGATE125	OV10460125	OV10480125	OV10481125
150mm	OVGATE150	OV10460150	OV10480150	OV10481150
200mm	*	OV10460200	OV10480200	OV10481200
250mm	*	*	*	*
300mm	*	*	*	*

Grooved Ended Butterfly, Swing Check & Strainers Available.

	CHECK	WAFER CHECK	STRAINER	GROOVED B/FLY
SIZE	107.30 PN16	107.25	112.20 PN16	104.00
65mm	OVNRV065	OVNRV351	OVSTRCI065	OVGBFLY065
80mm	OVNRV080	OVNRV352	OVSTRCI080	OVGBFLY080
100mm	OVNRV100	OVNRV353	OVSTRCI100	OVGBFLY100
125mm	OVNR0125	OVNRV354	OVSTRCI125	OVGBFLY125
150mm	OVNRV150	OVNRV355	OVSTRCI150	OVGBFLY150
200mm	OVNRV200	OVNRV356	OVSTRCI200	OVGBFLY200
250mm	OVNRV250	OVNRV357	OVSTRCI250	OVGBFLY250
300mm	OVNRV300	OVNRV358	OVSTRCI300	OVGBFLY300



DZR Ball Valves BSP/Compression Ends, WRAS Listed
Optional NPT, Tee Handle & Gas Approved Ball Valve Available

BSP LEVER EXT			LEVER			LOCKSHIELD			COMP LEVER			EXT LEVER		
SIZE	D171A	D171AEXS	D171ALS	SIZE	D171AC	D171AEXS								
1/4	CR1D171A008	CR1D171AEX008	CR1171ALS008		*	*								
3/8	CR1D171A010	CR1D171AEX010	CR1171ALS010		*	*								
1/2	CR1D171A015	CR1D171AEX015	CR1171ALS015	15mm	CR1D171AC15	CR1D171AEX15								
3/4	CR1D171A020	CR1D171AEX020	CR1171ALS020	22mm	CR1D171AC22	CR1D171AEX22								
1	CR1D171A025	CR1D171AEX025	CR1171ALS025	28mm	CR1D171AC28	CR1D171AEX28								
1 1/4	CR1D171A032	CR1D171AEX032	CR1171ALS032	35mm	CR1D171AC35	CR1D171AEX35								
1 1/2	CR1D171A040	CR1D171AEX040	CR1171ALS040	42mm	CR1D171AC42	CR1D171AEX42								
2	CR1D171A050	CR1D171AEX050	CR1171ALS050	54mm	CR1D171AC54	CR1D171AEX54								

DZR Gate Valves BS5154 Series B, BSP/Compression Ends
Optional NPT, Flanged & Bronze Material

BSP DZR GATE VALVE				COMP DZR GATE VALVE			
SIZE	D151A	D237A	SIZE	D255C	D155C		
1/2	CR1D151A015	CR1D237A015	15mm	CR1D255C015	CR1155C015		
3/4	CR1D151A020	CR1D237A020	22mm	CR1D255C022	CR1155C022		
1	CR1D151A025	CR1D237A025	28mm	CR1D255C028	CR1155C028		
1 1/4	CR1D151A032	CR1D237A032	35mm	CR1D255C035	CR1155C035		
1 1/2	CR1D151A040	CR1D237A040	42mm	CR1D255C042	CR1155C042		
2	CR1D151A050	CR1D237A050	54mm	CR1D255C054	CR1155C054		

Bronze Valves BSP Ends
Optional NPT, Flanged, Material & Pressure Ratings

SWING CHECK		STRAINER		GLOBE		DOC		L/S DOC		LEVER DOC	
SIZE	D138	D297	D15	D340	D341	D344.5					
1/2	CR1D138015	CR1D297015	CA1D15015	CA1D340015	CR1D342015	CR1D344101					
3/4	CR1D138020	CR1D297020	CA1D15020	CA1D340020	CR1D342020	CR1D344102					
1	CR1D138025	CR1D297025	CA1D15025	CA1D340025	CR1D342025	CR1D344103					
1 1/4	CR1D138032	CR1D297032	CA1D15032	*	*	CR1D344104					
1 1/2	CR1D138040	CR1D297040	CA1D15040	*	*	CR1D344105					
2	CR1D138050	CR1D297050	CA1D15050	*	*	CR1D344106					



Bronze Commissioning Valves BSP/Compression Ends, To BS7350, WRAS Approved

DRV			COMMISSIONING VALVES			
SIZE	D921	M/STATION D901	FIXED ORIFICE DRV D931	FIG No	15mm- 1/2	22mm-3/4
1/2	CR1D921015	CR1D901015	CR1D931015	D921C	CR1D921C15	CA1D921022
3/4	CR1D921020	CR1D901020	CR1D931020	D931C	CR1D931C15	CR1D931022
1	CR1D921025	CR1D901025	CR1D931025	D923	CR1D923015	*
1 1/4	CR1D921032	CR1D901032	CR1D931032	D933	CR1D933015	*
1 1/2	CR1D921040	CR1D901040	CR1D931040	D902	CR1D902015	*
2	CR1D921050	CR1D901050	CR1D931050	D934	CR1D934015	*

Cast Iron Commissioning Valves Flanged PN16, To BS7350

SIZE	COMM STATION DM900	DRV DM921	COMM SET DM941	VARIABLE DRV DM931	DRV B/FLY DM925G	B/FLY COMM SET DM950G
65mm	CR2DM900065	CR2DM921065	CR2DM941065	CR2DM931065	CR2DM925G065	CR2DM950G065
80mm	CR2DM900080	CR2DM921080	CR2DM941080	CR2DM931080	CR2DM925G080	CR2DM950G080
100mm	CR2DM900100	CR2DM921100	CR2DM941100	CR2DM931100	CR2DM925G100	CR2DM950G100
125mm	CR2DM900125	CR2DM921125	CR2DM941125	CR2DM931125	CR2DM925G125	CR2DM950G125
150mm	CR2DM900150	CR2DM921150	CR2DM941150	CR2DM931150	CR2DM925G150	CR2DM950G150
200mm	CR2DM900200	CR2DM921200	CR2DM941200	CR2DM931200	CR2DM925G200	CR2DM950G200
250mm	CR2DM900250	CR2DM921250	CR2DM941250	CR2DM931250	CR2DM925G250	CR2DM950G250
300mm	CR2DM900300	CR2DM921300	CR2DM941300	CR2DM931300	CR2DM925G300	CR2DM950G300

Crane Offer A Wide Range Of Autoflow Bronze & Ductile Iron Automatic Balancing Valves.


CRANE

FLUID SYSTEMS

OUR GENIUS IS VALVES

Whatever valves you need - Gate, Globe, Check, Ball, Butterfly or Balancing, talk to the experts.

Differential Pressure Control Valve DPAF951



CRANE

BUILDING SERVICES & UTILITIES

tel: 01473 277300
www.cranesbu.com

Crane Cast Iron Range Of Valves, Optional Flanged Drillings, Higher Pressure Materials Available.

	GATE VALVE	GLOBE	WAFER B/FLY	F/LUGGED B/FLY
SIZE	FM63 PN16	FM369 PN16	F621 PN16	F624 PN16
65mm	CR2FM63065	CR2FM369065	CR2F621065	CR2F624065
80mm	CR2FM63080	CR2FM369080	CR2F621080	CR2F624080
100mm	CR2FM63100	CR2FM369100	CR2F621100	CR2F624100
125mm	CR2FM63125	CR2FM369125	CR2F621125	CR2F624125
150mm	CR2FM63150	CR2FM369150	CR2F621150	CR2F624150
200mm	CR2FM63200	*	CR2F621200	CR2F624200
250mm	CR2FM63250	*	*	*
300mm	CR2FM63300	*	*	*

	SWING CHECK	WAFER CHECK	STRAINER
SIZE	FM492 PN16	FM450 PN16	M276 PN16
65mm	CR2FM492065	CR2FM450065	CR2FM276065
80mm	CR2FM492080	CR2FM450080	CR2FM276080
100mm	CR2FM492100	CR2FM450100	CR2FM276100
125mm	CR2FM492125	CR2FM450125	CR2FM276125
150mm	CR2FM4921050	CR2FM450150	CR2FM276150
200mm	CR2FM492200	CR2FM450200	CR2FM276200
250mm	CR2FM492250	CR2FM450250	CR2FM276250
300mm	CR2FM492300	CR2FM450300	CR2FM276300



Brass, Bronze, Stainless & Carbon Steel Valves, BSP & Socket Weld Ends.
Ball, 3 Way, Check, Gate Valves & Strainers In Various Materials & Pressure Ratings.


<p>AL145015-100 (ART45T)</p> <p>2 PIECE BRASS BALL VALVE</p> <p>VALVE BSPT F/F ENDS 1/2-4" FULL BORE 40BAR 1-20C +150C WRAS EN331 GAS APPROVED, TEE HANDLE AVAILABLE</p> 	<p>AL1STR015-100 (ART168)</p> <p>BRASS Y TYPE STRAINER</p> <p>BSPP F/F ENDS 1/4-4" 16BAR 0+90C</p> 
<p>AL170015-50 (ART70)</p> <p>3 WAY 'L' PORT BRASS BALL VALVE</p> <p>BALL VALVE BSPP ENDS 1/4-2" 32BAR -20 +150C</p> 	<p>AL1GLO015-50 (ART350)</p> <p>BRONZE GLOBE VALVE</p> <p>BS5154 BSPT F/F ENDS 1/2-2" 32BAR -10+198C RENEWABLE PTFE SEAT</p> 
<p>AL17115-50 (ART71)</p> <p>3 WAY 'T' PORT BRASS BALL VALVE</p> <p>BALL VALVE BSPP ENDS 1/4-2" 32BAR -20 +150C</p> 	<p>AL2902008-080 (ART902)</p> <p>2 PIECE STAINLESS STEEL</p> <p>BALL VALVE BSPT F/F ENDS 1/4-3" FULL BORE 69BAR -29+204C PTFE SEALS LOCKING LEVER</p> 
<p>AL1GAT015-100 (ART610)</p> <p>BRASS GATE VALVE</p> <p>BS5154 BSPT F/F ENDS 1/2-4" 20BAR -10+180C</p> 	<p>AL2903008-080 (ART903)</p> <p>3 PIECE STAINLESS STEEL</p> <p>BALL VALVE BSPT F/F ENDS 1/4-4" FULL BORE 69BAR -29+204C PTFE SEALS LOCKING LEVER</p> 
<p>AL1NRV001-009 (ART184)</p> <p>BRASS SWING CHECK</p> <p>VALVE BSPP F/F ENDS 1/2-4" 16BAR METAL SEAT -20 +90C</p> 	<p>AL380300-306 (ART803)</p> <p>3 PIECE CARBON STEEL</p> <p>BALL VALVE BSPT F/F ENDS 1/4-4" FULL BORE 69BAR -29+204C PTFE SEALS LOCKING LEVER</p> 
<p>AL1NRV015-100 (ART99)</p> <p>BRASS SPRING CHECK</p> <p>VALVE BSPP F/F ENDS 1/2-1" 16BAR, 1 1/4-2" 10BAR 2 1/2-4" 8BAR 0+90C</p> 	<p>AL2803310-315 (ART803SW)</p> <p>3 PIECE CARBON STEEL</p> <p>BALL VALVE SOCKET WELD ENDS 1/4-4" FULL BORE 69BAR -29+204C PTFE SEALS LOCKING LEVER</p> 

Albion Valves Can Be Pneumatic/Electrically Operated c/w Switch Box & Pilot Solenoid On Request

Cast Iron Wafer/Fully Lugged & PN16 Valves
Ball, Butterfly, Strainers & Gate Valves


ALBBAL050-200 (ART77)
C/IRON FLG BALL VALVE

FULL BORE, CHROME BALL,
ISO MOUNT, PN16 FLG,
TAPPED BOLT FIXING,
3/4-8", -10+150C




ALBNRV10-18 (ART121)
C/IRON DUAL PLATE CHECK.

EPDM SEAT, ST/ST DISC,
16BAR RATED,
2-12", -10+110C
SUIT PN10/16 ASA150




ALBBFL01-09 (ART115)
C/IRON WAFER BUTTERFLY.

EPDM LINER, ST/ST DISC,
ISO TOP, 16BAR RATED,
2-12", -10+110C
SUIT PN10/16 ASA150
WRAS APPROVED




ALBNRV20-28 (ART170)
C/IRON SWING CHECK VALVE.

BRONZE TRIM
16BAR RATED, -10+230C
2-12" PN16 FLANGED
BS5153




ALBBFL20-28 (ART135)
C/IRON FULLY LUGGED BUTTERFLY PN16.

EPDM LINER, ST/ST DISC,
ISO TOP, 16BAR RATED,
2-12", -10+110C
SUIT PN16 FLANGE
WRAS APPROVED




ALBSTR01-12 (ART185)
C/IRON STRAINER.

STAINLESS STEEL SCREEN
1.5MM PERFORATION
16BAR RATED, -10+230C
2-12" PN16 FLANGED




ALBBFL30-38 (ART145)
C/IRON FULLY LUGGED BUTTERFLY PN16.

NBR LINER, D/IRON DISC,
ISO TOP, 16BAR RATED,
2-12", -10+90C
SUIT PN16 FLANGE
YELLOW HANDLE SUIT GAS



ALBGATE01-10 (ART235)
C/IRON GATE VALVE BS5150


BRONZE TRIM, ST/ST STEM,
16BAR RATED, -10+230C
2-12" PN16 FLANGED



Albion offer a stainless steel range of valves similar to above, including 3-way & knife gate valves.
Some of the valves above can be actuated & fitted with limit switches, positioners & solenoid valves.



**Quality, Service,
Delivery and Choice**




• It's **all** at Albion


The Spirax Sarco range of steam traps and valves, allow the best choice to be made for all applications. Plant performance, energy efficiency and safety can be significantly improved with good steam trapping. This is only a small sample of Spirax Sarco valves we stock, we also hold a complete range of Spirax Sarco Monnier compressed air valves, please contact our sales office for more information.

<p>TD42L - Thermodynamic Steam Trap</p> <p>3/8 – 1" BSP/NPT Max pressure 42 Bar Body material stainless steel</p> 	<p>CA14 - Compressed Air Drain Trap</p> <p>1/2 – 3/4" BSP/NPT Max pressure 16 Bar SG iron body Body material stainless steel</p> 
<p>FTGS14 - Ball Float Steam Trap</p> <p>1/2 – 1" BSP/NPT/FLG Pressure ranges 4.5, 10, 14 Bar Max pressure 14.6 Bar Body material stainless steel</p> 	<p>DCV - Disc Check Valve</p> <p>1/2 – 4" Fit between flanges Body materials st/st, bronze Spring operated Max pressure 40 Bar</p> 
<p>HM - Inverted Bucket Steam Trap</p> <p>1/2 – 1" BSP/NPT/FLG Pressure ranges 4 - 14 Bar Max pressure 16 Bar Body material cast iron</p> 	<p>A3S/BSA - Bellow Sealed Stop Valve</p> <p>1/2 – 10" BSP/FLG/NPT Body material cast iron, S/G Iron and steel. Max pressure 99 Bar</p> 
<p>SPXSG - Single Window Sight Glass</p> <p>1/2 – 1" BSP/NPT Max pressure 3.5 Bar Brass body, double window option available</p> 	<p>HV3 - Bronze Stop Valve</p> <p>1/2 – 2" BSP Body material gunmetal Max steam pressure 18 Bar</p> 
<p>AE30 - Air Vent For Water</p> <p>1/2" BSP AE30A 1/2" BSP AE30C Max pressure 10 Bar DZR brass alloy body</p> 	<p>M10 Ball Valve</p> <p>1/2 – 6" BSP/FLG Forged steel, carbon steel Different seat materials available Max pressure 350 Bar</p> 
<p>BRV2S/LRV2B/DP27 - Pressure Reducing Valves For Steam/Water/Air</p> <p>1/2 - 2" BSP/FLG/NPT Different colour spring ranges available Max pressure 35 Bar</p> 	<p>FIG12 - 'Y' Type Strainer</p> <p>1/2 – 10" BSP/FLG Body material cast iron, S/G Iron, steel and st/st Different screen sizes available Max pressure 63 Bar</p> 

Spirax Sarco product information and technical sheets can be found on www.spiraxsarco.com/uk or telephone 01242 521361



Nobody knows
steam better



Pegler brass/bronze domestic and commercial valves.

Pegler, Prestex, Terrier and Performa offer a large range of high quality plumbing and heating products, please contact our sales office for more information or logon to www.pegler.co.uk

PB100 Ball Valve

1/2"-2" BSPT Brass Body C/P
Full Bore PN25, -10 +120c
Water/Oil/Air
Red Lever



1068W/1068L Brass Gate Valve

1/4"-4" BSPT
Non Rising Stem BS5154 PN20,
-10 +180c
Wheel/Lockshield Head



PB300 Ball Valve

15-54mm Compression Brass
Body C/P, Full Bore PN16
-10 +120c WRC, British Gas
Approved (15-28mm Only)
Options: Red, Blue, Yellow Handle,
Lever & 'T' Handle



63/63LS Brass Gate Valve

15-54mm Compression
Non Rising Stem
PN16, -10 +120c
Solid Wedge
Wheel/Lockshield
Comp Ends To EN1254/2



PB500 Ball Valve

1/4"-4" BSPT Brass Body C/P Full
Bore PN25, -10 +150c
WRC/Steam/Water/Oil/Air
Options: Red Lever & 'T' Handle



744F Brass Stop Cock

1/2"-3" BSPT
BS1010, PN16 +85c
Options: Ferrule Guard And Key,
M/F BSP Ends
(Certain Sizes Only)



PB500Y Ball Valve

1/4"-4" BSPT Brass Body C/P Full Bore
PN25, -10 +120c
British Gas Approved
Options: Yellow Lever & 'T' Handle



59/59LS Brass Stop Cock

15-54mm Compression
BS1010, PN10 +85c
Options: Ferrule Guard And Key,
Chrome, MDPE Ends
(Certain Sizes Only)



PB700 Ball Valve

1/4"-4" BSPT Brass Body C/P Full Bore
PN40, -10 +186c
WRC, British Gas Approved
Options: Yellow/Red Lever & 'T'
Handle



141/141HU Bibtap

1/2" - 3/4" BSP Brass Body
PN10 +90c
Options: Ferrule Guard And Key,
Chrome, Built In Double Check Valve



Pegler brass/bronze domestic and commercial valves.

Pegler, Prestex, Terrier and Performa offer a large range of high quality plumbing and heating products, please contact our sales office for more information or logon to www.pegler.co.uk

1029 Bronze Globe Valve

1/4" - 4" BSPT
PN32, -10 +198c
Rising Stem,
PTFE Renewable Disc



858 H/P Float Valve Part 2

1/2" - 3/4" BSPT Brass/Bronze
PN14, 0 +85c
Low Pressure Option (860)



1060A Bronze Swing Check

1/4" - 4" BSPT
PN25, -10 +186c
Horizontal/Vertical Fixing
Metal Seat, Steam/Water/Oil



901 Equilibrium Float Valve

1/2" - 6" BSPT Brass/Bronze
PN14, 0 +85c
Reduced Bore



857 H/P Float Valve Part 1

1/2" - 2" BSP Brass/Bronze
PN14, 0 +85c
Low Pressure Option (859)



Ball Float

4 1/2" - 12" Diameter
Plastic And Copper



PEGLER

The most comprehensive range of commercial valves available with all the end connection options you'll ever need!

- Extensive range of valves for heating, ventilating and air conditioning applications
- Range includes commissioning valves
- Comprehensive choice of end connections for flexible on-site installation
- Pegler Yorkshire guarantee of quality
- Dedicated specification and technical support teams.



 Pegler Yorkshire

AI Industries

www.pegleryorkshire.co.uk

Yorkshire E2000 - Pressure reducing valves. Highly engineered in sizes 1/2 – 1" BSP.
Suitable for water or compressed air, in domestic & commercial applications. Manufactured to BS6283 Part 4, WRAS approved.

YORKSHIRE/BALLOFIX VALVES		
SIZE	PART NO	ADJUSTABLE RANGE
1/2-1" BSP	E2000AF	0.5-2.5BAR
1/2-1" BSP	E2000AL	2-6BAR
1/2-1" BSP	E2000AH	5-12BAR
50mm-1/4"	E201	0-10BAR PRESSURE GAUGE
50mm-1/4"	E201	0-16BAR PRESSURE GAUGE
1/2-1"	E202	SERVICE KIT



YORKSHIRE KUTERLITE CHECK VALVES

Designed for the prevention of backflow & back siphonage, low pressure loss, spring loaded mechanism & silent operation, WRC approved, 100c at 16Bar.


YORKSHIRE KUTERLITE CHECK VALVES		
SIZE	PART NO	TYPE
15-28mm CxC	424	SINGLE CHECK VALVE
1/2-2" BSP	426	SINGLE CHECK VALVE
15-28mm CxC	4424	DOUBLE CHECK VALVE
1/2-2" BSP	4426	DOUBLE CHECK VALVE



BALLOFIX VALVES

The Ballofix valve range 8-35mm compression & 1/4-1 1/4" BSP includes service valves, radiator, draining & check valves. For more information visit www.yorkshirefittings.co.uk

ISOLATING BALL VALVE/DOC (STOCK RANGE)		
SIZE	PART NO	DESCRIPTION
15-28mm CxC	3381YA	DZR BRASS, ALLEN KEY, BALL VALVE
15-28mm CxC	33812A	CHROME DZR BRASS ALLEN KEY BALL VALVE
1/4-1" BSP	3350YA	DZR BRASS, ALLEN KEY, BALL VALVE
1/4- 1" BSP	33502A	CHROME DZR BRASS, ALLEN KEY, BALL VALVE
1/2" BSP	5095BA	BRASS DRAIN VALVE, ALLEN KEY
1/2" BSP	5095CA	CHROME DRAIN VALVE, ALLEN KEY



Nabic offer a wide range of valves including, safety relief, combined press/temperature relief, 3 way vent valves, stainless safety valves, pressure reducing valves, fusible plugs & anti pollution valves (RPZ)


SIZE	VALVE	FLUID	APPLICATION
1/2-3"	524/500	Hot Water	Vented/Unvented Heating Systems
3/4-2 1/2"	500T	Hot Water	Unvented Supply Systems (Temp/Press)
1/2-3"	542L/500L	Cold Water	Pump Relief, Pipeline & Vessel Protection
1/2-3"	542/500	Steam	Boiler, Pipeline & Receiver Protection
1/2-3"	542/500	Air	Compressor, Pipeline & Receiver Protection
1/2-1 1/4"	500FN	Air	Process Systems, (Stainless Steel)



NABIC™

OUR GENIUS IS VALVES

Whatever Safety and Control valves you need - for air, steam and water, talk to the experts.



*High Lift Safety Valve
Fig 500*


CRANE BUILDING SERVICES & UTILITIES

tel: 01744 458615
www.cranesbu.com

brownall™

OUR GENIUS IS VALVES

Whatever Automatic Air Eliminators and Vent Valves you need - for low, medium and high pressure applications, talk to the experts.
























Automatic Air Eliminator

CRANE BUILDING SERVICES & UTILITIES

tel: 01744 458686
www.cranesbu.com

To compliment our large stocks of recognised manufacturers valves, we stock an economy range of valves & accessories for customers requirements.

<p>Brass Gate</p> <p>3/8-2" FxF BSPP BS5154 PN25</p> 	<p>Washing Machine Valve</p> <p>15mmx3/4 CxC 22mmx3/4 CxC Angled/Straight</p> 	<p>Brass Drain Cock Type 'A'</p> <p>15mm Insert 1/2" BSP 3/4" BSP</p> 
<p>Brass Gate</p> <p>15-54mm CxC BS5154 PN16</p> 	<p>Washing Machine Hose</p> <p>1.5mtr Red 1.5mtr Blue</p> 	<p>Brass Air Vent</p> <p>1/8-1/4-1/2" 1/2" Rad Vent (Stelrad) 15mm Insert</p> 
<p>Brass L/Shield</p> <p>15-28mm CxC BS5154</p> 	<p>H/U Bibcock</p> <p>1/2" BSP c/w DCV 3/4" BSP c/w DCV</p> 	<p>Automatic Air Vent</p> <p>3/8" BSP Bottle AAV c/w Check Valve</p> 
<p>Brass/DZR Stop Cock</p> <p>1/2-2" FxF BSPP BS1010</p> 	<p>Brass Single/Double Check</p> <p>15mm CxC 22mm CxC</p> 	<p>Boiler Filling Loop</p> <p>Straight valve c/w DCV</p> 
<p>Brass/DZR Stop Cock</p> <p>15-54mm CxC BSPP BS1010</p> 	<p>Pipe Covers</p> <p>15-42mm White/Chrome</p> 	<p>Filter Ball Valve</p> <p>1/2-2" BSP DZR WRC, PN16 Lever Op. 0.7mm Screen</p> 
<p>Economy C/P Isolation Valve</p> <p>15-22mm CxC EN1254-2 Slotted head</p> 	<p>Brass Drum Cock Lockable</p> <p>1/2" BSP 3/4" BSP</p> 	<p>M/F Ball Valve</p> <p>3/8" BSP, Lever 1/2" BSP, Lever</p> 
<p>Chrome Service Valve</p> <p>15mmx1/2 CxC 22mmx3/4 CxC Angled/Straight</p> 	<p>Braided Flex 300mm WRC/Non</p> <p>15x15mm CxC 15x1/2" CxBSP 22x3/4" CxBSP</p> 	<p>KEYS</p> <p>Brass Rad Key Ali Rad Key 3-Way L/S Key</p> 

solarseal

roof flashing from **intaeco**



this year's hottest **accessory**

intasol

combi boiler diverter valve
a more sustainable approach to heating



inta ECO

visit our website at www.intaeco.co.uk

the calflow
water friendly flow regulator valve
WRAS APPROVED PRODUCT

Control water pressure and prevent system errors with
prescal
WRAS APPROVED PRODUCT

altecnic

www.altecnic.co.uk

anti scald

IT'S ALL IN THE NAME. **inta**



INTAMIX
THERMOSTATIC FAILSAFE
MIXING VALVES
WRAS APPROVED PRODUCT
INTAMIX 15MM AND 22MM
15MM **40015CP** 22MM **40022CP**

TIMED FLOW
ECO FRIENDLY TIMED FLOW
CONTROL SHOWER VALVES

WRAS APPROVED PRODUCT
EXPOSED TIMED FLOW
TF992CP - £50.73



VR HEADS
VANDAL RESISTANT SHOWER
HEAD (STANDARD)
WRAS APPROVED PRODUCT
VANDAL RESISTANT HEAD (STANDARD)
VR991CP - £51.88

inta
INSPIRING CONFIDENCE

WWW.INTATEC.CO.UK | WWW.ANTISCALD.CO.UK