

Oventrop TRV range is certificated to EN215, and fully complies with BS6284, BS7478, and BS7556. Please contact our sales office for more information or logon to [www.owntrop.co.uk](http://www.owntrop.co.uk)

### 'A' Series TRV Body 2-Pipe

Nickel plated TRV body, EPDM disk & seals. 3/8 - 1/2" BSP, compression adaptors available. Angle, straight & reverse angle body options.



### 'AZ' TRV Body 1 & 2-Pipe

Nickel plated TRV body, EPDM disk & seals. 1/2" - 1" BSP, compression adaptors available. Angle, straight & reverse angle body options.



### Uni LGH Liquid TRV Head

Range 7-28deg, can limit & lock temperature. Heads available: Direct acting, remote sensor, remote control 2-10mtr capillary.



### Uni DGH Wax TRV Head

Range 7-28deg Direct acting head, white and chrome. Accessories, anti-theft ring, reinforcing cap.



### Uniset Pro LGH TRV Complete

Nickel plated TRV body, Uni LGH liquid head. 10/15mm compression x 1/2" BSP union tail, reversible ends. Bi-directional for pumped 2-pipe systems.



### Uniset DGH TRV Complete

Nickel plated TRV body, Uni DGH wax head. 10/15mm compression x 1/2" BSP union tail, reversible ends. Bi-directional for pumped 2-pipe systems.



### Combi 4 Radiator Lockshield

Nickel plated body. 3/8 - 3/4" BSP, compression adaptors available. Angle/straight body options. 4 functions - isolate, regulate, fill & drain. 2 pipe systems.



### Combi 2 Radiator Lockshield

Nickel plated body. 3/8 - 3/4" BSP, compression adaptors available. Angle/straight body options. 2 function - isolate/regulate. 2 pipe systems.



### Combi 3G Radiator Lockshield

Nickel plated body. 10/15mm compression x 1/2" BSP union tail, angle body. 3 functions - isolate, regulate, fill/drain. 2 pipe systems.



### Manual Radiator Valve

Nickel plated body. 3/8" - 1" BSP, compression adaptors available. Angle/straight body options. White handwheel, 2 pipe systems, can convert to TRV.



Optibal DZR Ball Valves BSP/Compression Ends.  
 Optional Tee Handle & Yellow Handle Gas Approved EN331 Valves Available.

BSP LEVER			EXT LEVER			LOCKSHIELD			COMP LEVER			EXT LEVER		
SIZE	107.90	107.91	107.92	SIZE	107.95	107.97								
1/2	OVBALL15	OVBALLEXT15	OVBALLS15	15mm	OVBALLC15	OVBALLCEXT15								
3/4	OVBALL20	OVBALLEXT20	OVBALLS20	22mm	OVBALLC22	OVBALLCEXT22								
1	OVBALL25	OVBALLEXT25	OVBALLS25	28mm	OVBALLC28	OVBALLCEXT28								
1 1/4	OVBALL32	OVBALLEXT32	OVBALLS32	35mm	OVBALLC35	OVBALLCEXT35								
1 1/2	OVBALL40	OVBALLEXT40	OVBALLS40	42mm	OVBALLC42	OVBALLCEXT42								
2	OVBALL50	OVBALLEXT50	OVBALLS50	54mm	OVBALLC54	OVBALLCEXT54								

Gate Valves EN12288 BSP Ends

BSP BRASS GATE VALVE			BSP DZR GATE VALVE		
SIZE	104.11 L/S	104.10 W/H	104.31 L/S	104.30 W/H	
1/2	OVGATE11	OVGATE01	OVGATE21	OVGATE31	
3/4	OVGATE12	OVGATE02	OVGATE22	OVGATE32	
1	OVGATE13	OVGATE03	OVGATE23	OVGATE33	
1 1/4	OVGATE14	OVGATE04	OVGATE24	OVGATE34	
1 1/2	OVGATE15	OVGATE05	OVGATE25	OVGATE35	
2	OVGATE16	OVGATE06	OVGATE26	OVGATE36	

Bronze Valves BSP Ends, PN16 Rated

SWING CHECK		STRAINER		DOC L/S		DRAIN COCK		LEVER DOC	
SIZE	107.5	112.00	103.35	103.33	103.20				
1/2	OVNRV005	OVSTRB015	OVD0C01	OVD0C02	OVD0V05				
3/4	OVNRV006	OVSTRB020	*	OVD0C03	OVD0V05				
1	OVNRV007	OVSTRB025	*	OVD0C04	*				
1 1/4	OVNRV008	OVSTRB032	*	*	*				
1 1/2	OVNRV009	OVSTRB040	*	*	*				
2	OVNRV010	OVSTRB050	*	*	*				



Bronze Hydrocontrol Double Regulating & Commissioning Valves  
 Bronze Low/Medium Flow Double Regulating Valves.  
 BSP/Compression & Press Fit Ends All Available

DRV		M/STATION	FIXED ORIFICE DRV	COMMISSIONING VALVES		
SIZE	FIG.106.01	FIG.106.06	FIG.106.02	FIG No	15mm-1/2	22mm-3/4
1/2	OV10601015	OV10606015	OV10602015	FIG. 106.11	OV10611015	*
3/4	OV10601020	OV10606020	OV10602020	FIG.106.09L	OV10609015L	*
1	OV10601025	OV10606025	OV10602025	FIG.106.09M	OV10609015M	*
1 1/4	OV10601032	OV10606032	OV10602025	FIG.106.06L	OV10606015L	*
1 1/2	OV10601040	OV10606040	OV10602040			
2	OV10601050	OV10606050	OV10602050			

Hydrocontrol Cast Iron Commissioning Valves Flanged PN16

COMM STATION		VARIABLE DRV	COMM SET	DRV BFLY
SIZE	FIG.106.07	FIG.106.26	FIG.106.28	FIG.104.85
65mm	OVCOM065	OVDRV065	OVCOMSET065	OVDRVBF065
80mm	OVCOM080	OVDRV080	OVCOMSET080	OVDRVBF080
100mm	OVCOM100	OVDRV100	OVCOMSET100	OVDRVBF100
125mm	OVCOM125	OVDRV125	OVCOMSET125	OVDRVBF125
150mm	OVCOM150	OVDRV150	OVCOMSET150	OVDRVBF150
200mm	OVCOM200	OVDRV200	OVCOMSET200	*
250mm	OVCOM250	OVDRV250	OVCOMSET250	*
300mm	OVCOM300	OVDRV300	OVCOMSET300	*

Oventrop Offer A Wide Range Of Automatic Flow Regulating Valves In Bronze & Cast Iron.  
 Please Refer To Their Full Product Catalogue.



Oventrop Cast Iron Range Of Valves, Optional Flanged Drillings, Alternative Valve Discs & Seals Available.

SIZE	EPDM ST/ST DISC			NITRILE ST/ST DISC
	GATE VALVE	WAFER B/FLY	F/LUGGED B/FLY	F/LUGGED B/FLY
	104.52 PN16	104.62	104.82	104.83
65mm	OVGATE065	OV10460065	OV10480065	OV10481065
80mm	OVGATE080	OV10460080	OV10480080	OV10481080
100mm	OVGATE100	OV10460100	OV10480100	OV10481100
125mm	OVGATE125	OV10460125	OV10480125	OV10481125
150mm	OVGATE150	OV10460150	OV10480150	OV10481150
200mm	*	OV10460200	OV10480200	OV10481200
250mm	*	*	*	*
300mm	*	*	*	*

Grooved Ended Butterfly, Swing Check & Strainers Available.

SIZE	CHECK	WAFER CHECK	STRAINER	GROOVED B/FLY
	107.30 PN16	107.25	112.20 PN16	104.00
65mm	OVNRV065	OVNRV351	OVSTRCI065	OVGBFLY065
80mm	OVNRV080	OVNRV352	OVSTRCI080	OVGBFLY080
100mm	OVNRV100	OVNRV353	OVSTRCI100	OVGBFLY100
125mm	OVNRV125	OVNRV354	OVSTRCI125	OVGBFLY125
150mm	OVNRV150	OVNRV355	OVSTRCI150	OVGBFLY150
200mm	OVNRV200	OVNRV356	OVSTRCI200	OVGBFLY200
250mm	OVNRV250	OVNRV357	OVSTRCI250	OVGBFLY250
300mm	OVNRV300	OVNRV358	OVSTRCI300	OVGBFLY300

